



multi surface cleaner + disinfectant

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice. **IF SWALLOWED:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **IF INHALED:** Move the person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Sienna is a phosphate free, pH neutral formulation designed to provide effective cleaning, deodorization, and disinfection specifically for hospitals, nursing homes, colleges, food processing plants, food service establishments, transportation terminals, automotive garages, office buildings, manufacturing facilities, hotels, lodging establishments, retail businesses, athletic/recreational facilities, sports stadiums, amphitheaters and convention centers where housekeeping is of prime importance in controlling cross contamination. Sienna, when used as directed, is formulated to disinfect the following hard non-porous inanimate environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, vanity tops, shower stalls, bathtubs, and cabinets. Sienna is formulated to a neutral pH, yet provides effective cleaning strength that will not dull high gloss floor finishes. Sienna is a no rinse disinfectant cleaner that disinfects, cleans and deodorizes in one labor saving step

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride.....	3.144%
N-Alkyl (50%C14, 40% C12, 10% C16)	
Dimethyl benzyl ammonium chloride.....	2.096%
INERT INGREDIENTS.....	94.760%
TOTAL.....	100.000%
EPA Reg. No. 1-839-216-84179 EPA Est No. 84179-NJ-1	
Santec Inc. 1420 East Linden Ave, Linden NJ 07036	

net contents: 1 Gallon (128 oz)



DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical and semi-critical medical device surfaces. **Disinfection-** To disinfect inanimate, hard, non-porous surfaces add 2 ounces of Sienna per gallon of water. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For sprayer applications, spray 6-8 inches from surface, rub with brush, sponge or cloth. Do not breathe spray mist. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh use-solution daily or more often if the use-solution becomes visibly dirty or diluted. All surfaces that come in contact with food must be rinsed with potable water. Do not use on utensils, glasses and dishes. **To disinfect food processing premises:** Before using this product, food products and packaging materials must be removed from the area or carefully protected. For floors, walls, and storage areas, add 2 ounces of Sienna per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. All surfaces that may come in contact with food must be rinsed with potable water. **To disinfect food service establishment food contact surfaces:** Before using this product, food products and packaging materials must be removed from the area or carefully protected. For countertops, appliances, tables, add 2 ounces of Sienna per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a cloth, sponge or hand pump trigger sprayer so as to wet all surfaces thoroughly. Allow the surface to remain wet for 10 minutes, then remove excess liquid and rinse the surface with potable water. This product cannot be used to clean the following food contact surfaces: utensils, glassware and dishes. **Bactericidal Activity:** **Bactericidal in 10 minutes:** against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella (choleraesuis) enterica and Enterobacter aerogenes. **Bactericidal in 5 minutes:** against Escherichia coli O157:H7, Enterococcus faecium, Salmonella (typhimurium) enterica, Salmonella (typhi) enterica, Streptococcus pyogenes, Shigella sonnei, Staphylococcus epidermidis, Yersinia enterocolitica, Salmonella (enteritidis) enterica, Listeria monocytogenes, Klebsiella pneumonia, Salmonella (pullorum) enterica. **ANTIBIOTIC RESISTANT BACTERIA:** Vancomycin resistant Enterococcus faecium (VRE), Multi-Drug resistant (MDR) Acinetobacter baumannii, Vancomycin Intermediate Resistant Staphylococcus aureus (VISA), Extended Spectrum Beta-Lactamase (ESBL), Antibiotic resistant Staphylococcus epidermidis, Antibiotic resistant Escherichia coli, Antibiotic resistant Klebsiella pneumonia, Methicillin resistant Staphylococcus aureus (MRSA), Oxacillin resistant Streptococcus pneumonia. **Fungicidal Activity:** At the 2 ounces per gallon dilution, Sienna is fungicidal against the pathogenic fungi, Trichophyton mentagrophytes (Athlete's Foot Fungus). Apply solution with a cloth, sponge or hand pump trigger sprayer to hard, non-porous surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard, non-porous, surfaces commonly contacted by bare feet. Allow the surface to remain wet for 10 minutes, then remove excess liquid. Diluted product must be applied daily or more frequently with heavy facility use. **VIRUCIDAL ACTIVITY:** *Virucidal in 5 minutes against Hepatitis C Virus (HCV), SARS Associated Coronavirus, Herpes simplex Virus Type 1 & 2, Influenza Virus Type A2, Respiratory Syncytial Virus (RSV), Vaccina Virus and Rotavirus. *Virucidal in 3 minutes against: Hepatitis B Virus (HBV) *Virucidal in 30 seconds against: Human Immunodeficiency Virus Type 1. Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu). **KILLS HIV-1, HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV). **Special Instructions For Cleaning And Decontamination Against HIV-1, HBV and HCV Of Surfaces/objects Soiled With Blood/body Fluids. Personal Protection:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings. **Cleaning Procedures:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of Sienna. **Contact Time:** HIV-1 is inactivated after a 30 second contact time. HBV is inactivated after a 3 minute contact time. HCV is inactivated after a 5 minute contact time. Use either a 5 or 10 minute contact time for other organisms as stated on the label. **Disposal Of Infectious Materials:** Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal. **EFFICACY TESTS HAVE DEMONSTRATED THAT SIENNA IS AN EFFECTIVE BACTERICIDE, FUNGICIDE AND VIRUCIDE IN WATER UP TO 400 PPM HARDNESS (AS CaCO3) IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).** **General Cleaning-** Apply Sienna to soiled area with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer. Sienna can be diluted at 2 ounces per gallon or applied at full strength. Thoroughly wet soiled surface and scrub as necessary.

PRECAUTIONARY STATEMENTS Hazards To Humans And Domestic Animals

Danger. Keep Out Of Reach Of Children. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. May be fatal if inhaled. Do not breathe spray mist. Harmful if swallowed or absorbed through skin. Wear goggles or face shield, rubber gloves, and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

STORAGE AND DISPOSAL Do Not Contaminate Water, Food, Or Feed By Storage Or Disposal. Pesticide Storage- Store in a dry place no lower in temperature than 50°F or higher than 120°F. **Container Disposal-** Nonrefillable container. Do not reuse this container. Triple rinse or equivalent. Triple rinse as follows: Fill container ¼ full with water and recap. Agitate vigorously. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more times. Offer for recycling or reconditioning, if available. If not available, puncture and dispose in a sanitary landfill. **Pesticide Disposal-** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.